





APTR21 _REV12



REGISTERED PATENT
CEADESIGN

AISI 304 STAINLESS STEEL

Universal built-in part that allows to adjust its depth into the wall



RELATED CERTIFIED PRODUCTS

ABAR69 - AGIO54 - AZIQ71







Key for cleaning out the water system

CEADESIGN SRL s.u. has the property rights on these drawings, therefore they cannot be used and/or transferred to third party, even in partial form, without any prior authorization. Furthermore CEADESIGN SRL s.u. reserves the right to apply any change to these drawings in order to upgrade the product.

CEA

ceadesign.it



APTR21 _REV12



TECHNICAL WARNINGS

The pipes have to be rinsed thoroughly before installation. Avoid pressure differences between hot and cold water supply. Use of a pressure reducer when static pressure is higher than 5 bar to avoid damage of the cartridge.

ADVERTENCIAS TÉCNICAS

Los tubos tienen que ser enjuagados a fondo antes de la instalación. Evitar grandes diferencias de presión entre las conexiones de agua caliente y fría. En caso de presión estática mayor de 5 bar, se recomienda el uso de un adaptador de presión para evitar daños en el cartucho.

AVERTISSEMENTS TECHNIQUES

Rincer les tuyaux avant l'installation. Eviter des grandes différences de pression entre l'eau froide et chaude. En cas de pressions statique de plus de 5 bar, nous vous recommandons d'installer un réducteur de pression pour éviter des dommages à la cartouche.

AVVERTENZE TECNICHE

Risciacquare bene le tubazioni prima del montaggio ed evitare sbalzi di pressione fra i raccordi d'acqua fredda e d'acqua calda. In caso di pressioni statiche superiori a 5 bar si raccomanda l'installazione di un riduttore di pressione per evitare danni alla cartuccia.

WORKING TEMPERATURE

max. 149 °F


FLOW RATE

BAR	outlet 1	outlet 2	outlet 3
	gpm	gpm	gpm
1	2.9	2.7	3.1
2	4.2	3.8	4.4
3*	5.1	4.6	5.3
4	5.8	5.3	6.2
5	6.6	6.0	6.9

* Recommended pressure

CEQ

ceadesign.it



APTR21 _REV12



SPARE PARTS

RICC035	Cartridge
RICC098	Cartridge
RICC099	Cartridge
RICP017	Protective covering
RICP039	Protective covering
RICP054	Protective covering
RICS120	Insulation membrane
RICT061	Plug

LEGEND

ICONS



Tool included in spare part

CEQ