





#### INCLUDED PLUG



# PIL26

\_REV11



## PIL26/CONNECTIONS

AISI 304 STAINLESS STEEL

Piletta per lavello con tappo in acciaio inossidabile AISI 304 e troppopieno

Waste drain for washbasin with AISI 304 stainless steel plug and overflow

CEADESIGN STUDIO

## MANUTENZIONE / MAINTENANCE

|                              |  |                                                        |
|------------------------------|--|--------------------------------------------------------|
| NON UTILIZZARE<br>DO NOT USE |  | acido clorico e muriatico<br>chloric and muriatic acid |
|                              |  | acido fluoridrico<br>hydrofluoric acid                 |
|                              |  | ipoclorito di sodio<br>chlorine bleach                 |
| UTILIZZARE<br>TO USE         |  | detergente a pH neutro<br>neutral pH detergent         |





Questi disegni sono proprietà di CEADESIGN SRL s.u. pertanto non potranno essere utilizzati e/o comunicati a terzi, anche in forma parziale, senza preventiva autorizzazione. CEADESIGN SRL s.u. si riserva il diritto di apportare modifiche ai disegni al fine di migliorare il prodotto.

CEADESIGN SRL s.u. has the property rights on these drawings, therefore they cannot be used and/or transferred to third party, even in partial form, without any prior authorization. Furthermore CEADESIGN SRL s.u. reserves the right to apply any change to these drawings in order to upgrade the product.





# CEA

ceadesign.it

MONTAGGIO CON TROPPOPIENO / INSTALLATION WITH OVERFLOW





PIL26 \_REV11




PIL26\_REV11


MONTAGGIO SENZA TROPPOPIENO / INSTALLATION WITHOUT OVERFLOW




1



2





3



4

PIL26\_REV11

CEA



PIL26 \_REV11