






INCLUDED PLUG



PIL28 _REV11



PIL28/CONNECTIONS

AISI 304 STAINLESS STEEL

Piletta per lavello con tappo in acciaio inossidabile AISI 304, troppopieno e saltarello

Waste drain for washbasin with AISI 304 stainless steel plug, overflow and opening control

CEADESIGN STUDIO

MANUTENZIONE / MAINTENANCE

NON UTILIZZARE DO NOT USE		acido cloridrico e muriatico hydrochloric and muriatic acid
		acido fluoridrico hydrofluoric acid
		ipoclorito di sodio chlorine bleach
UTILIZZARE TO USE		detergente a pH neutro neutral pH detergent




Questi disegni sono proprietà di CEADESIGN SRL s.u. pertanto non potranno essere utilizzati e/o comunicati a terzi, anche in forma parziale, senza preventiva autorizzazione. CEADESIGN SRL s.u. si riserva il diritto di apportare modifiche ai disegni al fine di migliorare il prodotto.

CEADESIGN SRL s.u. has the property rights on these drawings, therefore they cannot be used and/or transferred to third party, even in partial form, without any prior authorization. Furthermore CEADESIGN SRL s.u. reserves the right to apply any change to these drawings in order to upgrade the product.


CEA

ceadesign.it

MONTAGGIO CON TROPPOPIENO / INSTALLATION WITH OVERFLOW







A = Sink Thickness	B = Central Screw	C = Spacers Regulation Plug
mm 1 - 11 0.04" - 0.43"	 23 mm 0.90"	 34 mm 1.34"
mm 11 - 20 0.43" - 0.78"	 31 mm 1.22"	 50 mm 1.97"
mm 20 - 26 0.78" - 1.02"	 39 mm 1.53"	 50 mm 1.97"
mm 26 - 36 1.02" - 1.41"	 47 mm 1.85"	 67 mm 2.63"







4

PIL28 _REV11



PIL28 _REV11





PIL28 _REV11

CEA


ceadesign.it

MONTAGGIO SENZA TROPPOPIENO / INSTALLATION WITHOUT OVERFLOW

TAPPO / PLUG




1




2

A = Sink Thickness	B = Central Screw	C = Spacers Regulation Plug
mm 1 - 11 0.04" - 0.43"	 23 mm 0.90"	 34 mm 1.34"
mm 11 - 20 0.43" - 0.78"	 31 mm 1.22"	
mm 20 - 26 0.78" - 1.02"	 39 mm 1.53"	 50 mm 1.97"
mm 26 - 36 1.02" - 1.41"	 47 mm 1.85"	 67 mm 2.63"



3







4

PIL28 _REV11

CEA

ceadesign.it



PIL28 _REV11

CEA

ceadesign.it