






SIF02

_REV10



SIF02/CONNECTIONS

AISI 304 STAINLESS STEEL

Sifone per lavabo in acciaio inossidabile AISI 304

Siphon for washbasin in AISI 304 stainless steel

CEADESIGN STUDIO

MANUTENZIONE / MAINTENANCE





NON UTILIZZARE DO NOT USE		acido clorico e muriatico <i>cloric and muriatic acid</i>
		acido fluoridrico <i>hydrofluoric acid</i>
		ipoclorito di sodio <i>chlorine bleach</i>
UTILIZZARE TO USE		detergente a pH neutro <i>neutral pH detergent</i>

Questi disegni sono proprietà di CEADDESIGN SRL s.u. pertanto non potranno essere utilizzati e/o comunicati a terzi, anche in forma parziale, senza preventiva autorizzazione. CEADDESIGN SRL s.u. si riserva il diritto di apportare modifiche ai disegni al fine di migliorare il prodotto.

CEADDESIGN SRL s.u. has the property rights on these drawings, therefore they cannot be used and/or transferred to third party, even in partial form, without any prior authorization. Furthermore CEADDESIGN SRL s.u. reserves the right to apply any change to these drawings in order to upgrade the product.

CEA

ceadesign.it



SIF02 _REV10

AVVERTENZE TECNICHE

Risciacquare bene le tubazioni prima del montaggio.

TECHNICAL WARNINGS

The pipes have to be rinsed thoroughly before installation. .

TECHNISCHE WARNUNG

Spülen Sie die Leitungen vor dem Einbau.

ADVERTENCIA TÉCNICA


Los tubos tienen que ser enjuagados a fondo antes de la instalación.

ADVERTISSEMENTS TECHNIQUES

Rincer les tuyaux avant l'installation.

TEMPERATURA DI ESERCIZIO / WORKING TEMPERATURE


 max. 70 °C
 max. 158 °F



SIF02_REV10

RICAMBI / SPARE PARTS

RICG016	Guarnizione / Gasket
RICR176	Rosetta / Rosette

LEGENDA / LEGEND

ICONE / ICONS



Utensile incluso nel ricambio
Tool included in spare part

FINITURE / FINISHES

*S	finitura satinata / satin finish
L	finitura lucidata / polished finish

FINITURE SPECIALI / SPECIAL FINISHES

KD	black diamond
Z	bronzo / bronze
P	rame / copper
X	light gold

CEQ